
Corporate Access Payables
Message Implementation Guidelines

pain.001.001.03

CustomerCreditTransferInitiationV03

MIG version: 1.9

Date: 24/06/2019

**For information about releases for each specific change, please refer to
“Change document”**

Table of contents

1. Introduction.....	3
2. About Corporate Access Payables.....	3
3. Nordea usage of ISO20022 XML format.....	3
4. Identification and usage of references.....	5
5. Document references.....	6
6. Guidelines.....	7

1. Introduction

This Message Implementation Guideline (MIG) were prepared on behalf of Nordea Group (hereinafter "Nordea").

The purpose of this documentation is to define how information in payment Messages should be structured for the exchange between the Message sender and Nordea. Nordea's MIG is considered as an appendix to the ISO 20022 MDR 2009 and the CGI documentation (see below), why it is expected by the reader of this document to be familiar with general XML rules and structures as referred to in this MIG.

This Message Implementation Guideline comply with the international definitions for content and use of an ISO20022 pain.001.001.03 Customer Credit Transfer Initiation and Common Global Implementation (CGI) Credit Transfer Initiation recommendations, which are available at: [CGI Link](#)

2. About Corporate Access Payables

Corporate Access Payables is Nordea's file-based payment solution. The service will enable Nordea's customers to execute harmonised and straightforward ordinary commercial payments (incl. SEPA) as well as salaries, pension, urgent and cross-border/cross-currency payments from accounts in all the countries in the Nordic region including Singapore. Additionally, the service enables customers to send instructions (Request for Transfers) for execution by Nordea's branches in Germany, Great Britain, Russia and USA as well as to any bank world-wide provided a signed Request for Transfer agreement between Debtor's bank and Nordea exists. In return, the customer will receive status reports and debit advice.

This release (v. 1.9), which is the latest version for all included countries, i.e. Denmark, Finland, Norway, Singapore and Sweden, also includes the payment category Treasury Payments, providing the payment types Financial/Same-Day-Value Payments and Cash Pool transfers.

Note: This document may be subject for future changes and will in those cases be duly informed by Nordea.

For further detailed information about the service and its offering, definition of parties involved, as well as technical information to support customer's implementation, will be found in *Corporate Access Payables Service description, User guide & Message flow* and in *Country Appendixes* which can be found on: nordea.com/corporateaccess.

3. Nordea usage of ISO20022 XML format

The term "message" is used for one XML schema occurrence, which is a combination of blocks called Group Header, Payment Information and Credit Transfer Transaction Information. Each file can only contain one Message. A message sent to Nordea can contain payments from several Debtors/accounts and can also contain several payment messages.

All elements or tags defined as "Mandatory" by ISO20022 for pain.001.001.03 are included in Nordea's *Corporate Access Payables* MIG. This also includes elements or tags that are optional or conditional, depending on specific criteria, as set by the service (or local country infrastructure). Elements or tags not used by the service are not included in this MIG, even if they are included in the "ISO 20022 Message Definition Report" or in the "CGI Implementation Guide for ISO 20022 CustomerCreditTransferInitiation". This is to enable a smooth introduction of the service for potential users.

The following is a description of used fields and columns in the MIG:

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
-----------	---------------------	----	---	---------	-------	------	------------	----------------

ISO Index No = Reference number that refers to the related description in the “ISO 20022 Message Definition Report”

Structural sequence = Informs about which level a specific field is placed within the XML structure

Or = Nordea will provide one or the other field, but not both

Message Item = Refers to the actual tag name in ISO20022 XML, which is also stated under the column XML Tag Name. This can be a Message element (a.k.a. a “field” in a traditional sense), or a Message Component (i.e. a group of information consisting of several elements). Each message element is stated with the element type it comprises (stated under column Type).

XML Tag = Specific code referring to an XML element and will be part of the XML Schema for the identification of an XML element. The “Tag Name” will be stated at the beginning of a string which is to include the required information (i.e. <Dbtr>) and will end the string with the same “Tag Name”, starting with a slash (i.e. </Dbtr>).

Multiplicity = Informs how many times an element can or must be used, as defined by ISO.

1..1	One occurrence (required)
1..n	One or several occurrences (value for “n” represents total number of occurrences)
1..3	Minimum one occurrence must be used, and maximum 3 occurrences can be used. Note: True value of “n” represents unlimited number of occurrences.
0..1	None or one occurrence to be used (optional)
0..n	None or several occurrences can be used (value for “n” represents total number of occurrences) Note: True value of “n” represents unlimited number of occurrences.

Type = States the value to be transferred in the actual XML element. There is a total of seven different “Data Type” representations that can be used in a “CustomerCreditTransferInitiating”: Identifier, Code, Text, Rate, Date Time, Amount & Indicator. See examples below:

Data Type	Type	ISO Index	Example
Identifier	PartyId32	1.8	SALES COMPANY PARTY
Code	PaymentMethod3Code	2.2	TRF = Credit Transfer
Text	Max35Text	2.1	AA22BB11
Rate	Rate	2.48	10.99999
Date Time	ISODateTime	1.2	2014-01-15T10:15:25+02:00
Amount	DecimalNumber	2.5	99999.99
Indicator	Indicator	2.3	true = Batch booking requested

Nordea Use = This column states the classification Nordea uses for each tag/element in this MIG. ISO20022 uses the classification “1..n” as mandatory and “0..n” for optional usage. Nordea uses a slightly more gradient classification, such as:

Attribute		
Code	Terminology	Definition
R	Required	Mandatory by ISO20022 or Required by CGI.
XOR	eXclusive Or	Select either field, but not both
C	Conditional	Dependent upon certain conditions <u>or</u> optional to use by Nordea

Nordea comment = Informs of special rules or usage for each element. If no comments exist, then standard usage according to ISO20022 applies. Please note that Nordea throughout this document will make a clear distinction between the term “payments” and the use of Request for Transfer (i.e. “instructions”) whereas “payments” will always be referred to when one of Nordea’s Nordic branches is the executing bank, whilst Request for Transfer will be used when executing bank is one of Nordea international branches (i.e. DE, RU, SG, UK & US) or any other bank outside Nordea.

The files sent to Nordea must be in UTF-8 format.

If Nordea forwards a cross-border/cross-currency payment to a beneficiary’s bank or an intermediary bank via the SWIFT network, the non-permitted SWIFT characters will be replaced by Nordea.

Note: In general, such characters as “å”, “-” and “/” in name, addresses and remittance information fields should be avoided. Nordea will if needed convert these characters to blank spaces, to avoid rejections by local or SWIFT clearings.

For information/description about technical issues such as security, retransmissions, or duplicates, please see Service description for *Corporate Access File Transfer & Corporate Access Payables* at www.nordea.com/cashmanagement.

Further information on ISO 20022 definitions on pain.001.001.03 are provided on the ISO20022 website: [Link](#) in the document “Payments_Maintenance_2009.pdf”, under the headline “pain – Payments initiation”.

4. Identification and usage of references

Reference type	ISO Index (Attribute)	Description
<MsgId>	1.1 (R)	Unique identification of the pain.001 message. Will be returned in pain.002 (2.1) message from Nordea. Used by Nordea for duplicate control.
<NbOfTx>	1.6 (R)	Number of transactions included in the pain.001 message. If value is correct, it will be returned in pain.002 (2.4) message by Nordea
<CtrlSum>	1.7 (C)	A hash value of all included Instructed or Equivalent Amount in the pain.001 message. If value is correct, it will be returned in pain.002 (2.5) message by Nordea if used by the customer
<InitgPty>	1.8 (R)	Unique identification of the signer of the pain.001 message. Will be returned in the pain.002 and camt.054 Debit Notification (1.3) messages by Nordea. For pain.002 message, Nordea will return the identification under code “CUST”.
<PmtInflId>	2.1 (R)	Unique identification of each Payment Information level in the pain.001 message. Will be returned in the pain.002 (3.1) and camt.054 Debit Notification (2.126) messages by Nordea. Used by Nordea for duplicate control.

Reference type	ISO Index (Attribute)	Description
<InstrId>	2.29 (C)	Customers own identification for each single Credit Transfer Transaction in the pain.001 message. Will be returned in pain.002 (3.17) and camt.054 Debit Notification (2.127) messages by Nordea if used by customer as a “point-to-point” reference.
<EndToEndId>	2.30 (R)	Unique End-to-End Identification for each single Credit Transfer Transaction in the pain.001 message. Will be returned in pain.002 (3.18) and camt.054 Debit Notification (2.128) messages by Nordea. Used by Nordea for duplicate control. Note: Will not be forwarded for all domestic or international payment types due to limitations in the local payment and/or SWIFT infrastructure.
<Ustrd>	2.99 (C)	Free text information to beneficiary. Will be returned in camt.054 Debit Notification (2.215) by Nordea if used by customer
<Nb>	2.107 (C)	Unique and unambiguous identification of each referred invoice and/or credit note used by the customer in Referred Document Information will be returned in camt.054 Debit Notification (2.223) by Nordea.
<Ref>	2.126 (C)	Each structured reference used by customer in Creditor Reference Information will be returned in camt.054 Debit Notification (2.242) by Nordea.

5. Document references

This chapter contains references to documents relevant for this MIG:

1. ISO 20022, Payments – Maintenance 2009, Approved by the Payments SEG on 30 March 2009, Message Definition Report, Edition March 2009 ([Link](#)), pain.001.001.03, CustomerCreditTransferInitiationV03

6. Guidelines

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
	-		Customer Credit Transfer Initiation	<CstmrCdtTrfl-nitn>				Message root, identifying message type
1.0	+		GroupHeader	<GrpHdr>	[1..1]	GroupHeader32	R	Set of characteristics shared by all individual Payment Information & transactions included in the message.
1.1	++		MessageIdentification	<MsgId>	[1..1]	Max35Text	R	Unique for each customer min. 90 calendar days. Will be returned in status message.
1.2	++		CreationDateTime	<CreDtTm>	[1..1]	ISODateTime	R	Date and time at which the message was created. Nordea applies UTC or local time. Example: 2014-06-03T14:45:35+02:00 Valid values: Current date -15 calendar days
1.6	++		NumberOfTransactions	<NbOfTxs>	[1..1]	Max15NumText	R	Number of individual transactions contained in the message. Will be validated, and Message rejected if incorrect value is detected.
1.7	++		ControlSum	<CtrlSum>	[0..1]	DecimalNumber	C	Total of all individual amounts included in the message, irrespective of currencies. Nordea: 13 digits + 2 decimals allowed If included, value will be checked, and Message rejected if incorrect value. The sum is the hash total of values in Instructed or Equivalent Amount.
1.8	++		InitiatingParty	<InitgPty>	[1..1]	PartyId32	R	Party that initiates the payment. This can either be the debtor or the party that initiates the credit transfer on behalf of the debtor
9.1.0	+++		Name	<Nm>	[0..1]	Max140Text	C	Name by which a party is known, and which is usually used to identify that party. Not required by Nordea
9.1.12	+++		Identification	<Id>	[0..1]	Party6Choice	R	Unique and unambiguous identification of a party.
9.1.13	++++		OrganisationIdentification	<OrgId>	[1..1]	OrganisationIdentification4	R	Unique and unambiguous way to identify an organisation.
9.1.14	+++++	{Or	BICOrBEI	<BICOrBEI>	[0..1]	AnyBICIdentifier	XOR	Code allocated to organisations by the ISO9362 Registration Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking telecommunication messages, Bank Identifier Codes). For technical usage see "User guide & Message flow", chapter 10.5 Must be agreed with Nordea
9.1.15	+++++	Or}	Other	<Othr>	[0..n]	GenericOrganisationIdentification1	XOR	
9.1.16	+++++		Identification	<Id>	[1..1]	Max35Text	R	CUST: Customer identification, i.e. "Signer Id" as agreed with (or assigned by) Nordea, max. 13 digits.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
								Must be used If BICOrBEI is not used
9.1.17	+++++		SchemeName	<SchmeNm>	[0..1]	OrganisationIdentificationSchemeName1Choice	R	Name of the identification scheme.
9.1.18	+++++		Code	<Cd>	[1..1]	ExternalOrganisationIdentification1Code	R	Valid codes: CUST = Customer Number
2.0	+		PaymentInformation	<PmtInf>	[1..n]	PaymentInstructionInformation3	R	Set of characteristics shared by all individual transactions included in the message. Note: Please see "User guide & Message flow", chapter 6.3 and 8.2 for potential impact when structuring the payment order in the XML Message.
2.1	++		PaymentInformationIdentification	<PmtInfId>	[1..1]	Max35Text	R	Will be returned in a Status Report pain.002.001.03. Unique for each customer min. 90 calendar days. Corporate Access: Will be reported on the account statement if Corporate Access Account Reporting used. For usage via other services, please see <i>Country Appendix</i> .
2.2	++		PaymentMethod	<PmtMtd>	[1..1]	PaymentMethod3Code	R	Valid codes: TRF = Credit Transfer CHK = Cheque. Must be used for International cheque payments. Note: Cannot be used for Singapore Denmark, Request for Transfer & Singapore: Only TRF can be used. Finland: For domestic payment to Money order, only code TRF can be used. See further instructions under 2.80 Creditor Account. Norway & Sweden: For domestic payment to Money order, either code TRF or CHK can be used. See further instructions under 2.80 Creditor Account.
2.3	++		BatchBooking	<BtchBook>	[0..1]	BatchBookingIndicator	C	For available booking options applied per country, please see <i>Country Appendix</i> , chapter 2.5, under each country description. If not used – Nordea standard booking principles will apply, i.e. batch booking for domestic payments (SEPA-payments for Finland and eGiro payments for Singapore) will apply. For international (cross-border/cross-currency) payments, see <i>Country Appendices</i> . Valid codes: false = Single booking requested true = Batch booking requested
2.4	++		NumberOfTransactions	<NbOfTxs>	[0..1]	Max15NumText	C	Value will not be validated or reported back in pain.002
2.5	++		ControlSum	<CtrlSum>	[0..1]	DecimalNumber	C	The value is the sum of the hash value in Instructed or Equivalent Amount. If used, the value will be validated, and Payment Information level rejected if found incorrect. Nordea: 11 digits + 2 decimals allowed

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
								Norway: For payment type "Money order" (domestic check) only 9 digits + 2 decimals allowed.
2.6	++		PaymentTypeInfo	<PmtTplnf>	[0..1]	PaymentType Information19	C	Set of elements used to further specify the type of transaction. Required at either Payment or Transaction Level but should not be present at both levels.
2.7	+++		InstructionPriority	<InstrPrty>	[0..1]	Priority2Code	C	Based on whether priority processing vs. normal processing is offered by the bank. Valid codes: NORM = Normal processing Default value at Nordea is NORM
2.8	+++		ServiceLevel	<SvcLvl>	[0..1]	ServiceLevel8Choice	C	Agreement/rule under which the underlying credit transactions should be processed.
2.9	++++		Code	<Cd>	[1..1]	External ServiceLevel1Code	R	Specifies a pre-agreed service or level of service between the parties, as published in an external service level code list. Valid codes: NURG = Non-urgent Payment SDVA = Same Day Value ("Treasury payments" see note below) SEPA = Single Euro Payments Area (see note below) URGP = Urgent Payment (see note below) Nordea uses NURG as default value. Note 1: SEPA will be treated by Nordea as NURG. Note 2: Urgent (URGP) payment can only be used for Category Purpose type Supplier (SUPP) and for payment type International (cross-border/cross-currency) payments (from Nordic countries) incl. Request for Transfer, with the exception of Finland and Singapore, where it can be used for certain domestic payment types as specified in relevant <i>Country Appendixes</i> . Note 3: Same Day Value (SDVA) mandatory on PaymentInformation level for "Treasury payments" which includes Financial/Same-Day-Value payments and Internal Cash Pool Transfers (Nordea's Global Cash Pool service) and for Intercompany payments. Note 4: Financial payments & Cash Pool transfers cannot be used for Singapore For further information about usage of Treasury payments, please see <i>Country Appendix</i> , chapter 2.1.11 (Norway) or 2.1.12 (Denmark, Finland & Sweden)

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.11	+++		LocalInstrument	<LclInstrm>	[0..1]	LocalInstrument2Choice	C	Only used for Denmark. Used for same day clearing and neutral date of availability. Please see country <i>Appendix Denmark</i> .
2.12	++++	{Or	Code	<Cd>	[1..1]	ExternalLocalInstrument1Code	XOR	Valid code: SDCL = Same Day Clearing
2.13	++++	Or}	Proprietary	<Prtry>	[1..1]	Max35Text	XOR	Valid code: NDAV = Neutral Date of Availability (Only used for Denmark) For usage, please see <i>Appendix Denmark</i> .
2.14	+++		CategoryPurpose	<CtgyPurp>	[0..1]	CategoryPurpose1Choice	C	Specifies the high-level purpose of the instruction based on a set of predefined categories. Payment type CORT, PENS, SALA and TREA can only be stated on this level, whilst payment type INTC (all countries) can alternatively be specified for each individual transaction level, but not for internal cash pool transfers (Nordea's Global Cash Pool service). See <i>User guide & Message flow</i> , chapter 10.2 for more information about available codes and combinations. Request for Transfer: SALA or PENS cannot be used and will cause rejection by Nordea
2.15	++++		Code	<Cd>	[1..1]	ExternalCategoryPurpose1Code	R	Valid codes are: CORT = Financial payment INTC = Intra company payment or Global Cash Pool transfers PENS = Pension payment SALA = Salary payment SUPP = Supplier payment (Default Value) TREA = Financial payment Financial/Same-Day-Value payments: CORT or TREA must be present Internal Cash Pool transfers (Nordea's Global Cash Pool service): INTC must be used. Singapore: CORT, TREA or PENS cannot be used and will cause rejection by Nordea. For further information about usage of Treasury payments, please see <i>Country Appendix</i> , chapter 2.1.11 (Norway) or 2.1.12 (Denmark, Finland & Sweden).
2.17	++		RequestedExecutionDate	<ReqdExctnDt>	[1..1]	ISODate	R	Requested execution is the date when the payment will be booked and processed if sufficient funds on the account. Note: For Salary & Pension payments Finland and Sweden and for Request for Transfer please see each <i>Country Appendix</i> .

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.18	++		PoolingAdjustmentDate	<Pool-gAdjstmntDt>	[0..1]	DateTime	C	Can only be used for Internal Cash Pool transfers. Back valuation is allowed up to three months (the first in this month minus two months). Singapore: Not used For further information, please see <i>Country Appendix</i> , chapter 2.1.11 (Norway) or 2.1.12 (Denmark, Finland & Sweden).
2.19	++		Debtor	<Dbtr>	[1..1]	PartyIdentification32	R	Debtor Name, Country and Identification are required. Note: Debtor identifies the legal owner of the Debtor Account which will be fetched from Nordea's internal records, if provided to the beneficiary.
9.1.0	+++		Name	<Nm>	[0..1]	Max140Text	R	For usage of name and addresses, please see <i>Country Appendix</i> , chapter 2.4.
9.1.1	+++		PostalAddress	<PstlAdr>	[0..1]	PostalAddress6	R	
9.1.10	++++		Country	<Ctry>	[0..1]	Code	R	Country is required by CGI schema, but will not be validated by Nordea.
9.1.12	+++		Identification	<Id>	[0..1]	Party6Choice	R	Unique and unambiguous identification of either a party or specific agreement with Nordea.
9.1.13	++++		OrganisationIdentification	<Orgld>	[1..1]	OrganisationIdentification4	R	
9.1.15	+++++		Other	<Othr>	[0..n]	GenericOrganisationIdentification1	R	Identification either assigned by official authorities or between Nordea and the customer.
9.1.16	+++++		Identification	<Id>	[1..1]	Max35Text	R	Nordea use: Customer agreement (Nordea's CCM agreement) identification with Nordea is mandatory (BANK), minimum 10 and maximum 18 digits must be used. Customer number is optional to use (CUST). Can be used for SEPA payments. Will be ignored for Request for Transfer and "Treasury payments".
9.1.17	Max35Text		SchemeName	<SchmeNm>	[0..1]	OrganisationIdentificationSchemeName1Choice	R	
9.1.18	+++++		Code	<Cd>	[1..1]	ExternalOrganisationIdentification1Code	R	Valid codes: BANK = Bank Party Identification CUST = Customer Number
2.20	++		DebtorAccount	<DbtrAcct>	[1..1]	CashAccount32	R	For further information, please see <i>Country Appendix</i> , chapter 2.3.
1.1.0	+++		Identification	<Id>	[1..1]	AccountIdentification4Choice	R	Unique and unambiguous identification for the account between the account owner and the account servicer.
1.1.1	++++	{Or	IBAN	<IBAN>	[1..1]	IBAN2007Identifier	XOR	IBAN can be used for all countries where allowed. For technical usage see " <i>User guide & Message flow</i> ", chapter 10.5. Note: IBAN must be used for SEPA payments. Finland: Only IBAN can be used. Singapore: IBAN cannot be used.
1.1.2	++++	Or}	Other	<Othr>	[1..1]	GenericAccountIdentification1	XOR	

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
1.1.3	++++		Identification	<Id>	[1..1]	Max34Text	R	BBAN can be used for all countries where allowed. Note: BBAN cannot be used for SEPA payments. Singapore: Only BBAN can be used
1.1.4	++++		SchemeName	<SchmeNm>	[0..1]	AccountSchemeName1Choice	R	
1.1.5	+++++		Code	<Cd>	[1..1]	ExternalAccountIdentification1Code	R	Valid code: BBAN
1.1.11	+++		Currency	<Ccy>	[0..1]	ActiveOrHistoricCurrencyCode	R	Currency of the debtor account must be present.
2.21	++		DebtorAgent	<DbtrAgt>	[1..1]	BranchAndFinancialInstitutionIdentification5	R	
6.1.0	+++		FinancialInstitutionIdentification	<FinInstnId>	[1..1]	FinancialInstitutionIdentification7	R	
6.1.1	++++	{Or	BIC	<BIC>	[0..1]	BICIdentifier	XOR	BIC (SWIFT) address must be used for Denmark, Finland, Norway, Request for Transfer and Singapore. For Sweden either BIC or Clearing System Identification must be used. For technical usage see "User guide & Message flow", chapter 10.5 Valid Nordea BICs are: NDEADFFF=Germany (Request for Transfer) NDEADKKK=Denmark NDEAFIHH=Finland NDEAGB2L=Great Britain (Request for Transfer) NDEANOKK=Norway NDEARUMM=Russia (Request for Transfer) NDEASGSG=Singapore NDEASESS=Sweden NDEAUS3N=USA (Request for Transfer) Use of any other BIC will be processed by Nordea as Request for Transfer.
6.1.2	++++	Or}	ClearingSystemMemberIdentification	<ClrSysMmbld>	[0..1]	ClearingSystemMemberIdentification2	XOR	If BIC is not used for Sweden, Clearing System Identification must be used
6.1.3	++++		ClearingSystemIdentification	<ClrSysId>	[0..1]	ClearingSystemIdentification2Choice	R	
6.1.4	+++++		Code	<Cd>	[1..1]	ExternalClearingSystemIdentification1Code	R	Valid code: SESBA = Swedish Bankers Association Other codes will be rejected.
6.1.6	++++		MemberIdentification	<Mmbld>	[1..1]	Max35Text	R	Valid branch number: 9960 = Nordea Other branch numbers will be rejected.
6.1.8	++++		PostalAddress	<PstlAdr>	[0..1]	PostalAddress6	R	Accepted but ignored.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
6.1.17	++++		Country	<Ctry>	[0..1]	CountryCode	R	Accepted but ignored.
2.23	++		UltimateDebtor	<UltmtDbtr>	[0..1]	PartyId32	C	<p>If Ultimate Debtor is used, Name is required. Ultimate Debtor identifies the party that owes the cash to the Creditor as a result of receipt of goods or services. Information on Payment level will be used for all payments on credit transaction level and <u>cannot</u> at the same time be used on credit transaction level which will, if used, cause rejection by Nordea.</p> <p>For usage of name and addresses, please see <i>Country Appendix</i>, chapter 2.4.</p> <p>Nordea: If Ultimate Debtor is used for International payments or Financial payments both Name and Address is required. Request for Transfer: Usage of Ultimate Debtor information must be agreed with executing bank. Nordea will forward information on a best effort. SEPA payments: Only Name & Identification will be forwarded to beneficiary. Singapore: Ultimate Debtor information cannot be used.</p>
9.1.0	+++		Name	<Nm>	[0..1]	Max140Text	R	<p>Name is required. Only 35 characters will be processed unless otherwise described below. Name on this level will be used for all payments on credit transaction level, unless 2.70 on credit transaction level have been used.</p> <p>SEPA payments: Full length (70 characters) of name for Ultimate Debtor can be used.</p>
9.1.1	+++		PostalAddress	<PstAdr>	[0..1]	PostalAddress6	C	Sweden: When used for domestic payments both postcode and town name are mandatory.
9.1.5	++++		StreetName	<StrtNm>	[0..1]	Max70Text	C	<p>BuildingNumber included in StreetName</p> <p>Note: If combined structured and unstructured address used and Street-Name not present, first line of AddressLine will be used as StreetName.</p>
9.1.7	++++		PostCode	<PstCd>	[0..1]	Max16Text	C	Sweden: If address is used for domestic payments, PostCode must be present.
9.1.8	++++		TownName	<TwnNm>	[0..1]	Max35Text	C	Sweden: If address is used for domestic payments, TownName must be present.
9.1.10	++++		Country	<Ctry>	[0..1]	CountryCode	R	If address used, Country must be present.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
9.1.11	++++		AddressLine	<AdrLine>	[0..7]	Max70Text	C	Usage of unstructured address, i.e. Address Line can only apply for cross-border/cross-currency payments and Request for Transfer. Max. 70 characters can be used or max. 2 occurrences with 35 characters per occurrence. If combined structured and unstructured address used (valid for both domestic, International payments and Request for Transfer) and StreetName not present, first line of AddressLine will be used as StreetName. Denmark: If only unstructured address used min. 2 occurrences with 35 characters each must be used for International (cross-border/cross-currency) payments.
9.1.12	+++		Identification	<Id>	[0..1]	Party11Choice	C	Request for Transfer & Singapore: Information will not be processed.
9.1.13	++++		OrganisationIdentification	<OrgId>	[1..1]	OrganisationIdentification8	R	
9.1.15	+++++		Other	<Othr>	[0..n]	GenericOrganisationIdentification1	R	
9.1.16	+++++		Identification	<Id>	[1..1]	Max35Text	R	Corporate id number is optional to use (CUST). Can be used for SEPA payments Sweden: Information will not be processed except for SEPA payments.
9.1.17	+++++		SchemeName	<SchmeNm>	[0..1]	OrganisationIdentificationSchemeName1Choice	R	
9.1.18	+++++		Code	<Cd>	[1..1]	ExternalOrganisationIdentification1Code	R	Valid code: CUST = Customer number
2.24	++		ChargeBearer	<ChrgBr>	[0..1]	ChargeBearerType1Code	C	ChargeBearer should be used on either payment or transaction level but not both. Since Nordea applies SHAR and/or SLEV (SEPA payments) as default value it is recommended to use ChargeBearer, if needed, only on Transaction level. Valid codes: DEBT = Borne By Debtor SHAR = Shared. (Default value) SLEV = Following Service Level Nordea use: Within EU/EES area: Only SHAR or SLEV can be used for all payment types and Request for Transfer, use of other codes will be rejected. Outside EU/EES area: DEBT, SHAR or SLEV can be used for International (cross-border/cross-currency) payments, Request for Transfer and Singapore, use of other codes will be rejected. Sweden: Other codes than SHAR or SLEV for international (cross-border/cross-currency) cheque payments, irrespectively of area, will be rejected.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
								Information on this level will be used for all payments on credit transaction level.
2.27	++		CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..n]	CreditTransferTransaction-Information10	R	Set of elements used to provide information on the individual transaction(s) included in the message.
2.28	+++		PaymentIdentification	<PmtId>	[1..1]	PaymentIdentification1	R	
2.29	++++		InstructionIdentification	<InstrId>	[0..1]	Max35Text	C	<p>Instruction Id – Customers point-to-point reference number. If sent by customer it will be returned in the status, debit advice reports and account statements if Corporate Access Account Reporting used. For further information about usage by Nordea for Request for Transfer and availability on Debtor's account statement through other services for Denmark, please see <i>Country Appendix</i>, chapter 2.1 and 2.5.</p> <p>Singapore: Maximum 20 characters can be used.</p>
2.30	++++		EndToEndIdentification	<EndToEndId>	[1..1]	Max35Text	R	<p>The end-to-end id must be unique for each customer for a min. period of 90 calendar days. This will be used for duplicate control at transaction level. Will be returned in the status, debit advice reports and account statements if Corporate Access Account Reporting used. For further information about usage by Nordea (Denmark, Finland, Request for Transfer and Singapore), please see <i>Country Appendix</i>, chapter 2.1 and 2.5.</p> <p>Note: Will not be forwarded for all domestic and International payments due to limitations in the local payment and/or SWIFT infrastructure.</p>
2.31	+++		PaymentTypeInformation	<PmtTpInf>	[0..1]	PaymentTypeInformation19	C	Set of elements used to further specify the type of transaction. Required at either Payment or Transaction Level but should not be present at both levels.
2.33	++++		ServiceLevel	<SvcLvl>	[0..1]	ServiceLevel8Choice	C	<p>If used it will prevail information used under Service Level on Payment Information level.</p> <p>Agreement/rule under which the credit transactions should be processed. See <i>Country Appendix</i>, chapter 2.1 for more information. Using other codes or code combinations can result in payment rejection.</p>

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.34	+++++		Code	<Cd>	[1..1]	ExternalServiceLevel1Code	R	<p>Valid codes: NURG = Non-urgent Payment (Default Value) SEPA = Single Euro Payments Area (see note below) URGP = Urgent Payment (see note below) URNS = Urgent Payment Net Settlement ("Faster payment" for Nordea UK)</p> <p>Nordea uses NURG as default value.</p> <p>Note 1: SEPA will be treated by Nordea as NURG. Note 2: Urgent (URGP) payment can only be used for Category Purpose type Supplier (SUPP) and for payment type International (cross-border/cross-currency) payments (from Nordic countries) and Request for Transfer, with the exception of Finland & Singapore, where it can be used for certain domestic payments as specified in relevant <i>Country Appendixes</i>. Note 3: "Faster payment" (URNS) can only be used for Nordea UK (RfT) and when Category Purpose Supplier (SUPP) used. Can only be used on this level.</p>
2.39	++++		CategoryPurpose	<CtgyPurp>	[0..1]	CategoryPurpose1Choice	C	<p>Only code INTC, SUPP or TAXS can be used on Transaction level. If code INTC used it will not be processed as internal cash pool transfers (Nordea's Global Cash Pool service).</p> <p>Please see further information about possible impact of confirmation process flow in <i>User guide & Message flow</i>, chapter 6.3 & 8.2</p>
2.40	+++++		Code	<Cd>	[1..1]	ExternalCategoryPurpose1Code	R	<p>Valid codes: INTC = Intra company payment SUPP = Supplier payment (Default Value) TAXS = TaxPayment (Only to be used for Norway and only on this level)</p> <p>Singapore: Only INTC or SUPP can be used.</p>
2.42	+++		Amount	<Amt>	[1..1]	AmountType3Choice	R	<p>Negative amount not allowed. Currency code for the credit currency must be stated.</p> <p>Request for Transfer & Singapore: Rouble (RUB) payments or instructions towards Russia cannot be used and will cause rejection by Nordea.</p>

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.43	++++	{Or	InstructedAmount	<InstdAmt Ccy="AAA">	[1..1]	ActiveOrHistoricCurrency-AndAmount	XOR	<p>For domestic payments within Nordea and its branches valid values for currency code are:</p> <p>Denmark: DKK Finland: EUR Germany: EUR Great Britain: GBP Norway: NOK Singapore: SGD Sweden: SEK USA: USD</p> <p>For available convertible currencies, please see <i>Country Appendix</i>, chapter 2.9</p> <p>Nordea incl. Treasury payment and Request for Transfer: 11 digits + 2 decimals allowed SEPA payments: 9 digits + 2 decimals allowed Finland: Credit to an account with Nordea Finland maximum 10 digits + 2 decimals allowed. Norway: For payment type "Money order" (domestic check) 9 digits + 2 decimals allowed. Sweden: For Treasury payments 13 digits + 2 decimals allowed.</p>
2.44	++++	Or}	EquivalentAmount	<EqvtAmt>	[1..1]	EquivalentAmount2	XOR	<p>Only to be used for International (cross-border/cross-currency) payments.</p> <p>Request for Transfer: Not to be used. Treasury payment incl. Cash Pool transfers: Not to be used</p>
2.45	+++++		Amount	<Amt Ccy="AAA">	[1..1]	ActiveOrHistoricCurrency-AndAmount	R	<p>Specifies the amount to be debited from the Debtor account</p> <p>Nordea: 11 digits + 2 decimals allowed SEPA payments: 9 digits + 2 decimals allowed</p>
2.46	+++++		CurrencyOfTransfer	<CcyOfTrf>	[1..1]	ActiveOrHistoricCurrency-AndAmount	R	<p>Currency in which the amount is to be transferred by Nordea</p>
2.47	+++		ExchangeRateInformation	<XchgRateInf>	[0..1]	ExchangeRate1	C	
2.48	++++		ExchangeRate	<XchgRate>	[0..1]	BaseOneRate	C	<p>Nordea use: Denmark: Max. 10 digits incl. 5 decimals can be used. If used <ContractIdentification> (2.50) must be provided. Norway: Must be stated if <RateType> (2.49) used. Max. 8 digits incl. 4 decimals can be used Finland, Request for Transfer, Singapore and Sweden: Not used</p>

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.49	++++		RateType	<RateTp>	[0..1]	ExchangeRateType1Code	C	Rate type can only be used for Norway (only AGRD), otherwise information will be ignored by Nordea. Valid codes: AGRD = Exchange rate applied is the rate agreed between the parties. If exchange rate type is present, exchange contract reference must not be present.
2.50	++++		ContractIdentification	<CtrctId>	[0..1]	Max35Text	C	Nordea use: Denmark: Max. 11 characters. If used <ExchangeRate> (2.48) must be provided. Finland: Optional for international (cross-border/cross-currency) payments, max 14 characters. Norway: Max. 6 characters. Request for Transfer, Singapore and Sweden: Not used.
2.51	+++		ChargeBearer	<ChrgBr>	[0..1]	ChargeBearerType1Code	C	ChargeBearer should be used on either payment or transaction level but not both. Please see information about usage in field 2.24. Valid codes: DEBT = Borne By Debtor SHAR = Shared. (Default value) SLEV = Following Service Level Nordea use: Within EU/EES area: Only SHAR or SLEV can be used for all payment types incl. Request for Transfer, use of other codes will be rejected. Outside EU/EES area: DEBT, SHAR or SLEV can be used for Treasury Payments, International (cross-border/cross-currency) payments, Request for Transfer and Singapore, use of other codes will be rejected. Sweden: Other codes then SHAR or SLEV for international (cross-border/cross-currency) cheque payments, irrespectively of area, will be rejected.
2.52	+++		ChequeInstruction	<ChqInstr>	[0..1]	ChequeMaturityDateRule	C	Must be used for transfer type CHK Singapore: Not used.
2.53	++++		ChequeType	<ChqTp>	[0..1]	ChequeType2Code	R	Only valid for transfer type CHK Valid code: BCHQ Use of other codes will be rejected.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.70	+++		UltimateDebtor	<UltmtDbtr>	[0..1]	PartyId32	C	<p>Ultimate Debtor identifies the party that owes the cash to the Creditor as a result of receipt of goods or services.</p> <p>If information present in field 2.23 Ultimate Debtor at Payment level then Credit Transaction level must not be present and will result in rejection by Nordea. If Ultimate Debtor is used, Name is required.</p> <p>For usage of name and addresses, please see <i>Country Appendix</i>, chapter 2.4.</p> <p>Nordea: If Ultimate Debtor is used for International payments, Treasury payments or Request for Transfer both Name and Address is required</p> <p>Request for Transfer: Usage of Ultimate Debtor information must be agreed with executing bank. Nordea will forward information on a best effort.</p> <p>SEPA payments: Only Name & Identification will be forwarded to beneficiary.</p> <p>Singapore: Ultimate Debtor information not used</p>
9.1.0	++++		Name	<Nm>	[0..1]	Max70Text	R	<p>Max. 35 characters may be used.</p> <p>SEPA payments: Full length (70 characters) of name for Ultimate Debtor can be used.</p>
9.1.1	++++		PostalAddress	<PstlAdr>	[0..1]	PostalAddress6	C	
9.1.5	+++++		StreetName	<StrtNm>	[0..1]	Max70Text	C	<p>BuildingNumber included in StreetName</p> <p>Note: If combined structured and unstructured address used and Street-Name not present, first line of AddressLine will be used as StreetName.</p>
9.1.7	+++++		PostCode	<PstCd>	[0..1]	Max16Text	C	
9.1.8	+++++		TownName	<TwnNm>	[0..1]	Max35Text	C	
9.1.10	+++++		Country	<Ctry>	[0..1]	CountryCode	R	If address is used, Country must be present.
9.1.11	+++++		AddressLine	<AdrLine>	[0..7]	Max70Text	C	<p>Usage of unstructured address, i.e. Address Line can only apply for cross-border/cross-currency payments and Request for Transfer. Max. 70 characters can be used or max. 2 occurrences with 35 characters per occurrence.</p> <p>If combined structured and unstructured address used (valid for both domestic and International payments & Request for Transfer) and StreetName not present, first line of AddressLine will be used as StreetName.</p> <p>Denmark: If only unstructured address used min. 2 occurrences with 35 characters each must be used for International (cross-border/cross-currency) payments.</p>
9.1.12	++++		Identification	<Id>	[0..1]	Party11Choice	C	Request for Transfer & Singapore: Information will not be processed.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
9.1.13	+++++		OrganisationIdentification	<OrgId>	[1..1]	OrganisationIdentification8	R	
9.1.15	+++++		Other	<Othr>	[0..n]	GenericOrganisationIdentification1	R	
9.1.16	+++++		Identification	<Id>	[1..1]	Max35Text	R	Corporate id number is optional to use (CUST). Can be used for SEPA payments. Sweden: Information will not be processed, except for SEPA payments.
9.1.17	+++++		SchemeName	<SchmeNm>	[0..1]	OrganisationIdentificationSchemeName1Choice	R	
9.1.18	+++++		Code	<Cd>	[1..1]	ExternalOrganisationIdentification1Code	R	Valid code: CUST = Customer Number
2.71	+++		IntermediaryAgent1	<IntrmyAgt1>	[0..1]	BranchAndFinancialInstitutionIdentification4	C	Financial & Same-Day-Value payments (CORT or TREA): Used for Creditor bank's cover bank. BIC must be present. Global Cash Pool transfer: IntermediaryAgent will not be processed. Intercompany payments (INTC): Can only be used where Creditor Bank is outside Nordea Group. If payment not consistent with rule, it will be rejected. Request for Transfer: As per requirement by executing bank. Sweden: Cannot be used for any other payment type than described above.
6.1.0	++++		FinancialInstitutionIdentification	<FinInstnId>	[1..1]	FinancialInstitutionIdentification7	R	
6.1.1	++++		BIC	<BIC>	[0..1]	BICIdentifier	R	BIC is required. For technical usage see " <i>User guide & Message flow</i> ", chapter 10.5
2.72	+++		IntermediaryAgent1Account	<IntrmyAgt1Acct>	[0..1]	CashAccount16	C	Financial & Same-Day-Value payments (CORT or TREA): Can be used, if known to the customer. A payment in a 3rd country currency may require that Debtor state the account with Creditor bank's cover bank. Note: This information, if used, will not be reported back in the Debit Notification message.
1.1.0	++++		Identification	<Id>	[1..1]	AccountIdentification4Choice	R	
1.1.1	++++	{Or	IBAN	<IBAN>	[1..1]	IBAN2007Identifier	XOR	
1.1.2	++++	Or}	Other	<Othr>	[1..1]	GenericAccountIdentification1	XOR	
1.1.3	+++++		Identification	<Id>	[1..1]	Max34Text	R	
1.1.4	+++++		SchemeName	<SchmeNm>	[0..1]	AccountSchemeName1Choice	R	
1.1.5	+++++		Code	<Cd>	[1..1]	ExternalAccountIdentification1Code	R	Valid code: BBAN

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.77	+++		CreditorAgent	<CdtrAgt>	[0..1]	BranchAndFinancialInstitutionIdentification5	C	<p>Not used if Payment Method is CHK.</p> <p>Must be used for all International (cross-border/cross-currency), Treasury and Intercompany payments incl. Request for Transfer and for Singapore, <u>except for SEPA payments</u>.</p> <p>One of the below options must be used: 1) BIC – unless one of the listed codes used in 6.1.4 2) Clearing System Identification and Creditor Agent Name</p> <p>For detailed information about rouble payments to Russia, which is <u>not</u> to be used for Request for Transfer, please see <i>Country Appendix</i>, chapter 2.1.</p> <p>International/Intercompany & SEPA payments: When IBAN is used within SEPA area, Creditor Agent will be ignored Singapore: Must always be present. For eGiro payments CreditorAgent BIC must be part of eGiro banks. For further information, please see <i>Country Appendix</i>.</p>
6.1.0	++++		FinancialInstitutionIdentification	<FinInstId>	[1..1]	FinancialInstitutionIdentification7	R	
6.1.1	+++++		BIC	<BIC>	[0..1]	BICIdentifier	C	<p>If used BIC must be valid. For technical usage see “<i>User guide & Message flow</i>”, chapter 10.5</p>
6.1.2	+++++		ClearingSystemMemberIdentification	<ClrSysMmbld>	[0..1]	ClearingSystemMemberIdentification2	C	
6.1.3	+++++		ClearingSystemIdentification	<ClrSysId>	[0..1]	ClearingSystemIdentification2Choice	R	
6.1.4	++++++		Code	<Cd>	[1..1]	ExternalClearingSystemIdentification1Code	R	<p>Valid codes: AUBSB = Australian Bank State Branch Code (BSB) CACPA = Canadian Payments Association Payment Routing Number CNAPS = Chinese CNAPS identifier GBDSC=UK Domestic Sort Code HKNC = Hong Kong Bank Code INFSC = Indian Financial System Code NZNCC = New Zealand National Clearing Code RUCBC = Russian Central Bank Identification Code USABA = United States Routing Number (Fedwire, NACHA) ZANCC = South African National Clearing Code</p> <p>Note: Use of other codes may cause rejection</p>
6.1.6	+++++		MemberIdentification	<Mmbld>	[1..1]	Max35Text	R	<p>Not valid Identification may cause rejection.</p>
6.1.7	+++++		Name	<Nm>	[0..1]	Max140Text	C	<p>Note: Must be present when only Clearing System Identification used and for RUB payments towards Russia, otherwise ignored by Nordea. Max. 35 characters can be used.</p>

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
6.1.8	+++++		PostalAddress	<PstlAdr>	[0..1]	PostalAddress6	C	Must be used for rouble (RUB) payments towards Russia.
6.1.15	+++++		TownName	<TwnNm>	[0..1]	Text	C	TownName (City) must be stated for rouble (RUB) payments towards Russia. Note: If not used, AddressLine must be present - see below.
6.1.17	+++++		Country	<Ctry>	[0..1]	CountryCode	R	When address used, Country must be present.
6.1.18	+++++		AddressLine	<AdrLine>	[0..7]	Text	C	If structured address not used for rouble payments to Russia - AddressLine with TownName (City) must be stated. Max. 35 characters to be used.
2.78	+++		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	CashAccount16	C	Russia: To be used for rouble (RUB) payments towards Russia where Creditor Bank's account with Central Bank of Russia must be present. Note: This information, if used, will not be reported in the Debit Notification message. Financial payments: Can be used for financial payments to state the account number of the creditor agent, if Creditor Agent is the beneficiary. Either CreditorAgentAccount or CreditorAccount must be present, but not both, see CreditorAccount 2.80. Note: If CreditorAgentAccount used - it will be reported under CreditorAccount in the Debit Notification message.
1.1.0	++++		Identification	<Id>	[1..1]	AccountIdentification4Choice	R	
1.1.1	+++++	{Or	IBAN	<IBAN>	[1..1]	IBAN2007Identifier	XOR	
1.1.2	+++++	Or}	Other	<Othr>	[1..1]	GenericAccountIdentification1	XOR	
1.1.3	+++++		Identification	<Id>	[1..1]	Max34Text	R	Russia: Creditor Agent's account with Central Bank of Russia. For information about rouble payments to Russia, please see Country Appendix, chapter 2.1.
1.1.4	+++++		SchemeName	<SchmeNm>	[0..1]	AccountSchemeName1Choice	R	
1.1.5	+++++		Code	<Cd>	[1..1]	ExternalAccountIdentification1Code	R	Allowed code: BBAN
2.79	+++		Creditor	<Cdtr>	[0..1]	PartyIdentification32	R	Creditor Name and Country is required. For payment to domestic/International cheque or domestic Money Order the address of the Creditor must be stated in addition to Creditor's name. For usage of name and addresses, please see <i>Country Appendix</i> , chapter 2.4. SEPA payment: Creditor identification information will be forwarded to beneficiary.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
9.1.0	++++		Name	<Nm>	[0..1]	Max140Text	R	For domestic payments max. 35 characters can be used. For SEPA payments and International/Intercompany payments, incl. Request for Transfer max. 70 characters can be used. If Ultimate Creditor name used then max. 35 characters can be used for Creditor name, except for SEPA payments. Norway: For domestic payments max 30 characters can be used. Sweden: For International cheque max. 35 characters can be used.
9.1.1	++++		PostalAddress	<PstAdr>	[0..1]	PostalAddress6	R	Country must always be present. Structured or combined structured/unstructured address must be used for domestic payments for Norway and Sweden. Finland: For domestic Money Orders StreetName, PostCode and Town-Name or AddressLine are mandatory. International (cross-border/cross-currency) payments & Request for Transfer: Either structured, address lines or combined must be used. SEPA-payments: Either structured, address lines or combined can be used. Singapore: Only structured address can be used Sweden: Can only be used for payment to Money Order, and then both PostCode and TownName are mandatory
9.1.5	+++++		StreetName	<StrtNm>	[0..1]	Max70Text	C	BuildingNumber included in StreetName Finland: When used for payment to Money Order, StreetName or Address-Line must be present. Norway: For domestic payments max 60 characters can be used. Note: If combined structured and unstructured address used and Street-Name not present, first line of AddressLine will be used as StreetName
9.1.7	+++++		PostCode	<PstCd>	[0..1]	Max16Text	C	Finland, Norway & Sweden: When used for payment to Money order, Post-Code must be present. International cheque: PostCode or AddressLine (see below) must be present.
9.1.8	+++++		TownName	<TwnNm>	[0..1]	Max35Text	C	Finland, Norway & Sweden: When used for payment to Money order, TownName must be present. International cheque: TownName or AddressLine (see below) must be present.
9.1.9	+++++		CountrySubDivision	<CtrySubDvsn>	[0..1]	Max35Text	C	
9.1.10	+++++		Country	<Ctry>	[0..1]	CountryCode	R	Country must always be present.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
9.1.11	+++++		AddressLine	<AdrLine>	[0..7]	Max70Text	C	<p>Usage of unstructured address, i.e. Address Line can only apply for cross-border/cross-currency and SEPA payments incl. Request for Transfer. If no Ultimate Creditor used, max. 105 characters can be used or max. 3 occurrences with 35 characters per occurrence, otherwise max. 70 characters or 2 occurrences with 35 characters per occurrence can be used.</p> <p>If combined structured and address lines used (valid for both domestic and International payments) and StreetName not present, first line of AddressLine will be used as StreetName.</p> <p>Denmark: When only unstructured address used min. 1 line (70 characters) or 2 occurrences with 35 characters each must be used for International (cross-border/cross-currency) payments</p> <p>International cheque: Either one AddressLine (70 characters) or 2 occurrences with 35 characters each <u>or</u> PostCode and TownName must be present.</p> <p>Norway: For domestic payments max 60 characters or 2 occurrences with 30 characters per occurrence can be used .</p> <p>Singapore: Not used</p> <p>Sweden: For International cheque max. 70 characters or 2 occurrences with 35 characters each can be used.</p>
9.1.12	++++		Identification	<Id>	[0..1]	Party6Choice	C	<p>Can be used for "Easy account" payments Denmark, SEPA payments for all countries, rouble (RUB) payments towards Russia and private identification for domestic Money orders in Finland.</p> <p>Request for Transfer & Singapore: Information will not be processed.</p>
9.1.13	+++++	{Or	OrganisationIdentification	<OrgId>	[1..1]	OrganisationIdentification4	XOR	
9.1.15	+++++		Other	<Oth>	[0..n]	GenericOrganisationIdentification1	C	
9.1.16	+++++		Identification	<Id>	[1..1]	Max35Text	R	<p>Code TXID can only be used for domestic payments in Denmark and for rouble (RUB) payments towards Russia.</p> <p>Denmark: Used for Easy Account payment. Central Business Register Number (CVR no.) reported with code TXID. Format: 8 digits. If RF Creditor reference is used, then ordering customer identification (CUST) will not be processed.</p> <p>Rouble (RUB) payments towards Russia: INN (10 digits) or KIO (5 digits) Corporate Tax Payer Identification (TXID) required, identifying creditor.</p>
9.1.17	+++++		SchemeName	<SchmeNm>	[0..1]	OrganisationIdentificationSchemeName1Choice	C	
9.1.18	+++++		Code	<Cd>	[1..1]	ExternalOrganisationIdentification1Code	R	<p>Valid Codes: CUST = Customer Number (Used for SEPA payments – for all countries)</p>

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
								TXID = Tax Identification Number (Only for Denmark and rouble (RUB) payments towards Russia)
9.1.21	+++++	Or}	PrivateIdentification	<PrvtId>	[1..1]	PersonIdentification5	XOR	
9.1.27	+++++		Other	<Othr>	[0..n]	GenericPersonIdentification1	R	
9.1.28	+++++		Identification	<Id>	[1..1]	Max35Text	R	Denmark: Used for Easy Account payment. Social Security Number (CPR no.) reported with code SOSE. Format: 10 digits. Finland: Can be used for domestic Money orders with SOSE. Rouble (RUB) payments towards Russia: INN (12 digits) Person Tax Payer Identification (TXID) required for identifying creditor. SEPA payments: Can be used for all countries with SOSE.
9.1.29	+++++		SchemeName	<SchmeNm>	[0..1]	PersonIdentificationSchemeName1Choice	R	
9.1.30	+++++		Code	<Cd>	[1..1]	ExternalPersonIdentification1Code	R	Valid Codes: SOSE = SocialSecurityNumber (Used for SEPA payments – for all countries and for Easy Account payment (DK) and for Money orders (FI)) TXID = Tax Identification Number (Only for rouble (RUB) payments towards Russia)
2.80	+++		CreditorAccount	<CdtrAcct>	[0..1]	CashAccount24	C	Not to be used when Payment Method "CHK" used. Financial payments: Can be used to state the account number of either the creditor agent, if Creditor Agent is the beneficiary or the end Creditor. Either CreditorAgentAccount or CreditorAccount must be present, but not both, see CreditorAgentAccount 2.78.
1.1.0	++++		Identification	<Id>	[1..1]	AccountIdentification4Choice	R	
1.1.1	++++	{Or	IBAN	<IBAN>	[1..1]	IBAN2007Identifier	XOR	International (cross-border/cross-currency), SEPA CT and Intercompany payments incl. Request for Transfer where beneficiary agent resides within EU/EES area, must have an IBAN number. Exception for Treasury payments, where IBAN is not mandatory. For technical usage see “ <i>User guide & Message flow</i> ”, chapter 10.5 For further information, or deviations in usage of IBAN in each local country, please see <i>Country Appendix</i> , chapter 2.3.
1.1.2	++++	Or}	Other	<Othr>	[1..1]	GenericAccountIdentification1	XOR	
1.1.3	+++++		Identification	<Id>	[1..1]	Max34Text	R	Nordea use: For Easy Account payment type (DK) and payment to Money order (NO, FI, SE) 'NOTPROVIDED' must be stated. In addition, for payment to Money order full name and address information must be stated in 2.79

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
								Financial payments: Either Creditor Agent Account or Creditor Account <u>must</u> be provided, but not both, see CreditorAgentAccount 2.78
1.1.4	+++++		SchemeName	<SchmeNm>	[0..1]	AccountSchemeName1Choice	R	Not to be used for Easy Account payment (DK) or Money Order (FI, NO & SE).
1.1.5	+++++	{{Or	Code	<Cd>	[1..1]	ExternalAccountIdentification1Code	XOR	Valid code: BBAN
1.1.6	+++++	Or}}	Proprietary	<Prtry>	[1..1]	Max35Text	XOR	Valid codes: BGNR = Bankgiro number (Sweden) OCR = Creditor number (Denmark) Request for Transfer: Not to be used.
2.81	+++		UltimateCreditor	<UltmtCdtr>	[0..1]	PartyId32	C	If Ultimate Creditor is used, Name is required. Note 1: Ultimate Creditor will not be processed to the clearing for domestic payments and Financial Payments Note 2: Postal address cannot be used for Ultimate Creditor. For usage of name and addresses, please see <i>Country Appendix</i> , chapter 2.4. International cheque payment & Singapore: Not used
9.1.0	++++		Name	<Nm>	[0..1]	Max140Text	R	Name is required. For SEPA payments full length (70 characters) of name for Ultimate Creditor can be used. For other payments incl. Request for Transfer only 35 characters will be processed.
9.1.12	++++		Identification	<ld>	[0..1]	Party11Choice	C	Can be used for SEPA payments for all countries. Request for Transfer & Singapore: Information will not be processed.
9.1.13	++++	{Or	OrganisationIdentification	<Orgld>	[1..1]	OrganisationIdentification8	XOR	
9.1.15	+++++		Other	<Othr>	[0..n]	GenericOrganisationIdentification1	C	
9.1.16	+++++		Identification	<ld>	[1..1]	Max35Text	R	
9.1.17	+++++		SchemeName	<SchmeNm>	[0..1]	OrganisationIdentificationSchemeName1Choice	C	
9.1.18	+++++		Code	<Cd>	[1..1]	ExternalOrganisationIdentification1Code	R	Valid Code: CUST = Customer Number (Used for SEPA payments – for all countries)
9.1.21	++++	Or}	PrivateIdentification	<Prvtld>	[1..1]	PersonIdentification5	XOR	

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
9.1.27	+++++		Other	<Othr>	[0..n]	GenericPersonIdentification1	R	
9.1.28	+++++		Identification	<Id>	[1..1]	Max35Text	R	
9.1.29	+++++		SchemeName	<SchmeNm>	[0..1]	PersonIdentificationSchemeName1Choice	R	
9.1.30	+++++		Code	<Cd>	[1..1]	ExternalPersonIdentification1Code	R	Valid Code: SOSE = Social Security Number (Used for SEPA payments – for all countries)
2.86	+++		Purpose	<Purp>	[0..1]	Purpose2Choice	C	Can either be used for SEPA payments (<Cd>) to inform about the purpose of the payment or for domestic payments (<Prtry>) when reference to be quoted on statement. Note: Only one occurrence allowed. Request for Transfer: Information will not be processed. Singapore: Must be provided for eGiro transfers
2.87	++++	{Or	Code	<Cd>	[1..1]	ExternalPurpose1Code	XOR	Can only be used for SEPA payments or eGiro transfer Singapore to inform beneficiary about the purpose of the payment. For available codes, please see External Code List (ISO) or <i>Appendix Singapore</i> . Only four (4) characters allowed. Note: Will not be validated by Nordea.
2.88	++++	Or}	Proprietary	<Prtry>	[1..1]	Max35Text	XOR	Reference quoted on statement. This reference will be presented on Creditor's account statement. It can only be used for domestic payments. Denmark: Only to be used for domestic credit transfers. Max. 20 characters can be used. If RF Creditor reference (SCOR) is used, Purpose will not be forwarded. Finland: Not used Norway: Only to be used for payments to account when no advice is to be sent. Max. 20 characters can be used. Singapore: Not used Sweden: Only to be used for "Credit transfer". Max. 12 characters can be used. Note: Information on this level will prevail information stated in 2.99 <Ustrd>

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.89	+++		RegulatoryReporting	<RgltryRptg>	[0..10]	RegulatoryReporting3	C	Regulatory Reporting required for certain payments for Norway, Sweden and for rouble (RUB) payments towards Russia. Please see <i>Country Appendix</i> , chapter 2.1. & 2.2. Note: This tag can only be present one time per Credit Transaction, more occurrences will be ignored by Nordea. Norway: Mandatory for international payments (including Financial Payments) above 100.000 NOK. Sweden: Mandatory for international payments (including Financial Payments) above 150.000 SEK. Request for Transfer: As per requirement by executing bank.
11.1.4	++++		Details	<DtIs>	[0..n]	StructuredRegulatoryReporting3	R	<Details> and related elements under Regulatory Reporting can be repeated two times and then only for rouble (RUB) payments towards Russia. Additional occurrences will be ignored by Nordea.
11.1.5	+++++		Type	<Tp>	[0..1]	Text	C	Type "VO" must be present for rouble (RUB) payments towards Russia.
11.1.8	+++++		Code	<Cd>	[0..1]	Max10Text	C	Code consists of 5 digits for rouble (RUB) payments towards Russia Note: Incorrect code for Norway and digits for rouble (RUB) payments towards Russia will be rejected.
11.1.10	+++++		Information	<Inf>	[0..n]	Max35Text	C	One line of max. 35 characters can be used and will be forwarded to appropriate authorities or executing bank (Request for Transfer). Norway: Text is mandatory.
2.90	+++		Tax	<Tax>	[0..1]	TaxInformation3	C	Only to be used for rouble (RUB) payments towards Russian authorities, e.g. tax payments, and must then be provided.
13.1.0	++++		Creditor	<Cdtr>	[0..1]	TaxParty1	R	
13.1.3	+++++		TaxType	<TaxTp>	[0..1]	Max35Text	R	Tax registration code (KPP) number for rouble (RUB) payments towards Russia consist of 9 digits
2.98	+++		RemittanceInformation	<RmtInf>	[0..1]	RemittanceInformation7	C	Structured information can be used for both domestic and international payments incl. Request for Transfer, unless specified differently below. Note: Structured information cannot be used for rouble (RUB) payments towards Russia. Unstructured Remittance Information will not be processed if Structured Remittance Information exists, any exception will be stated below. Finland: For information on usage of SEPA AOS2 (Additional Optional Services) see <i>Appendix Finland</i> , chapter 2.1.1.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.99	++++	{Or	Unstructured	<Ustrd>	[0..n]	Max140Text	XOR	<p>Numbers in parenthesis () indicates the number of lines and characters that will be provided as information to the beneficiary. To avoid reconciliation problems for Creditor it is advised to structure the information or invoices in accordance to local rules, i.e. as stated in parenthesis () below. Information how Nordea processes free text information, please see each <i>Country Appendix</i>, chapter 2.4.</p> <p>For usage per payment type, please see <i>Country Appendix</i>, chapter 2.1.1 and onwards.</p> <p>Denmark: Maximum of 1.435 (41*35) characters can be used. Finland: One occurrence of 140 characters can be used and is advised to use when more than one occurrence of Structured used within SEPA area. Norway: Maximum of 875 (25*35) characters can be used, which also applies for salary and pension payments. Singapore: Maximum 140 (4*35) characters can be used. Sweden: Maximum of 350 (10*35) characters can be used. Cannot be used for salary and pension payments .</p> <p>Note: If 2.88 <Prtry> used for DK, NO & SE, it will prevail information stated on this level.</p> <p>International (incl. SEPA) & Treasury payments: Only one occurrence of 140 characters (4*35) can be used. Request for Transfer: Only one occurrence of 105 characters (3*35) can be used.</p>

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.100	++++	Or}	Structured	<Strd>	[0..n]	StructuredRemittanceInformation9	XOR	<p>Use: Can be used when at least one ReferredDocumentInformation (2.101) or Creditor Reference (2.120) is present. If Creditor Reference (2.120) present ReferredDocumentInformation (2.101) will be ignored. Total amount of Structured cannot be negative. If any errors detected – the whole Transaction level instruction will be rejected.</p> <p>Denmark: Only one occurrence of Structured Remittance Information with Creditor Reference (SCOR) can be used and only for payments via “Transfer form”, “Standard credit transfer” and “Same day credit transfer”.</p> <p>Note: For “Transfer form” form type “01”, “73” structured reference cannot be used but transfer form type must be provided in 2.126.</p> <p>Finland: For standard SEPA credit transfer one occurrence can be used. For SEPA AOS2 maximum of 999 occurrences including min. one credit note can be used. For information on usage of SEPA AOS2 (Additional Optional Services) see <i>Appendix Finland</i>, chapter 2.1.1.</p> <p>Norway: Cannot be used for Salary and Pension payments. A maximum of 999 occurrences can be used for Creditor References. Alternatively, a maximum of 25 occurrences can be used with Document number.</p> <p>Singapore: Not used.</p> <p>Sweden: Maximum 300 occurrences are allowed. Cannot be used for "Credit Transfer", "Money Order" "Salary" and "Pension" payments. For further information please see <i>Appendix Sweden</i>, chapter 2.1.1.</p> <p>Note: If IBAN for Creditor and <Strd> used, it will be processed and reported to Debtor/Creditor as international payment.</p> <p>International (incl. SEPA): Standard of maximum 4 occurrences can be used. Each occurrence can consist of Document Number or Creditor Reference (SCOR). For exceeding occurrences (up till 999) or for further information please see <i>Country Appendix</i>, chapter 2.1 and payment type description.</p> <p>Request for Transfer: A maximum of one occurrences can be used and can consist of either Document Number (CINV) or Creditor Reference (SCOR).</p> <p>Treasury payments: Maximum 1 occurrence can be used. It may consist of either an invoice number (CINV) or Creditor Reference (SCOR). For further information please see <i>Country Appendix</i>, chapter 2.1.</p>
2.101	+++++		ReferredDocumentInformation	<RfrdDocInf>	[0..n]	ReferredDocumentInformation3	C	<p>Only to be used once per instance of <Strd>.</p> <p>Denmark: Not to be used.</p>
2.102	+++++		Type	<Tp>	[0..1]	ReferredDocumentType2	R	
2.103	+++++		CodeOrProprietary	<CdOrPrtry>	[1..1]	Referred-DocumentType1Choice	R	<p>Use: CREN not allowed for domestic payments Denmark or Request for Transfer</p>
2.104	+++++		Code	<Cd>	[1..1]	DocumentType5Code	R	<p>Valid codes: CINV = Commercial Invoice CREN = Credit Note</p>

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.107	+++++		Number	<Nb>	[0..1]	Max35Text	C	Norway: Can be used for invoice or credit note numbers. Maximum 20 characters can be used. Sweden: Can be used for reference, invoice or credit note numbers. Maximum 25 characters can be used.
2.108	+++++		RelatedDate	<RltdDt>	[0..1]	ISODate	C	Can only be used for Norway
2.109	++++	{Or	ReferredDocumentAmount	<RfrdDocAmt>	[0..1]	RemittanceAmount2	C	Amount is mandatory if more than one structured is used and cannot contain zero. Total amount for all Structured Remittance Information within one Credit Transfer Transaction must equal amount on Credit Transfer Transaction level and cannot result in a zero amount, except for domestic payments for Norway & Sweden and can never result in a negative amount.
2.112	+++++	{{Or	CreditNoteAmount	<CdtNoteAmt Ccy="AAA">	[0..1]	ActiveOrHistoricCurrency-AndAmount	C	Cannot be used in combination with code CINV. Note: Currency must correspond to currency stated under Instructed or Equivalent Amount (<Amt Ccy="AAA">) Nordea: 11 digits + 2 decimals allowed Norway: For payment type "Money order" (domestic check) only 9 digits + 2 decimals allowed. SEPA payments: 9 digits + 2 decimals allowed
2.119	+++++	Or}}	RemittedAmount	<RmtdAmt Ccy="AAA">	[0..1]	ActiveOrHistoricCurrency-AndAmount	C	Cannot be used in combination with code CREN. Note: Currency must correspond to currency stated under Instructed or Equivalent Amount (<Amt Ccy="AAA">) Nordea: 11 digits + 2 decimals allowed Norway: For payment type "Money order" (domestic check) only 9 digits + 2 decimals allowed. SEPA payments: 9 digits + 2 decimals allowed
2.120	++++	Or}	CreditorReferenceInformation	<CdtrRefInf>	[0..1]	CreditorReferenceInformation2	C	
2.121	+++++		Type	<Tp>	[0..1]	CreditorReferenceType2	R	
2.122	+++++		CodeOrProprietary	<CdOrPrtry>	[1..1]	CreditorReferenceType1Choice	R	
2.123	+++++		Code	<Cd>	[1..1]	DocumentType3Code	R	Valid code: SCOR = Structured Communication Reference
2.125	+++++		Issuer	<Issr>	[0..1]	Max35Text	C	ISO (International Standardisation Organisation) reserved for ISO 11649 international creditor's reference. Used for SEPA payments and International (cross-border/cross-currency) payments, "Same day credit transfer" and "Standard Credit Transfer" for Denmark.

ISO Index	Structural sequence	Or	pain.001.001.03 Payment Initiation Message Item	XML Tag	Mult.	Type	Nordea Use	Nordea comment
2.126	+++++		Reference	<Ref>	[0..1]	Max35Text	R	<p>Please see 2.100 <Strd> for possible combined invoice, Creditor Reference and credit note usage.</p> <p>Denmark: For payment via "Transfer form" the form type (04, 15, 71 or 75) must be given in position 1-2, followed by "/" (Slash) and the reference. Example: <Ref>75/1234567890123456</Ref> The reference must be 16 characters for form type 04, 15 and 75, and 15 characters for form type 71. Form type 75 can be used together with <Ustrd>. For form type 01 and 73 only the form type must be stated (Example: <Ref>73</Ref> and further beneficiary information stated in <Ustrd>. For Payment types "Standard credit transfer", "Same-day credit transfer" and "Easy account payment" the reference can contain maximum 25 characters. If Creditor Reference is provided, 2.79 Creditor, 9.1.16 Id (Ordering customer identification) code CUST and 2.86 Purpose and 2.99 Unstructured will not be forwarded.</p> <p>Finland: Creditor Reference can contain RF Creditor Reference (ISO 11649) maximum 25 characters or local reference maximum 20 characters.</p> <p>Norway: Creditor Reference can contain maximum 25 characters. Numeric values and hyphen (-) can be used.</p> <p>Sweden: Creditor Reference can contain maximum 25 characters</p> <p>Request for Transfer: Creditor Reference can contain maximum 30 characters.</p>