

Account Statement Service MT 940

File Description

Version 1.4 2010-05-31



Index

| 1 | Accou | ınt Statement Service MT 940 | 3 |
|---|------------|---|---|
| 2 | | tructure of a message | |
| _ | 2.1 | Block 1 – Basic Header Block | 4 |
| | 2.2 2.3 | | |
| ^ | _ | | |
| 3 | Accou | unt Statement | 5 |
| | 3.1 | Format specification for the Account Statement | 6 |
| | 3.2 | | 7 |
| | | Balances – formatting rules for field 60F, 62a, 64 and 65 | 7 |
| | | Field 28C – Statement Number/Sequence Number | 7 |
| | | Field 60a – Opening Balance (Booked Funds) | 7 |
| | | Field 61, Subfield 6 - Transaction Type Identification Code | 7 |
| | | Field 61, Subfield 7 – Reference for the Account Owner | 8 |
| | | Field 61, Subfield 9 – Supplementary Details | 8 |
| | | Field 86 – Information to Account Owner | 8 |
| | | Field 62a - Closing Balance (Booked Funds) | 9 |
| | | Field 65 – Forward Available Balance | 9 |
| | | Nordea's Sweeping Services | 9 |
| | | | |

Version log

| Version no | Date | Description of change | |
|------------|------------|--|--|
| 1.0 | 2006-01-18 | Original version | |
| 1.1 | 2006-02-27 | Block 3 added | |
| 1.2 | 2008-03-03 | Field 28C, some addition Field 61, subfield 6: Transaction types updated Field 65, updated | |
| 1.3 | 2008-07-02 | Note changed in chapter 3.1 | |
| 1.4 | 2010-05-31 | Corporate Netbank File Transfer service hours | |
| | | Technical specification: | |
| | | Field 61, subfield 9: Zero balancing reference Field 86 (Finland): SEPA credit transfer details added. | |



1 Account Statement Service MT 940

Via Corporate Netbank, Nordea's web electronic banking portal for corporate customers, it is possible for the customer to download files with account statements from Nordea and other banks in a format based on SWIFT standards. The files can be retrieved directly into the customer's own system, which give the possibility to replace time-consuming manual booking and reconciliation by automated processes.

An account statement is produced by a Nordea bank or sent via SWIFT from the account holding bank to a Nordea bank. The bank that transmits account statements is responsible for their content. Nordea relays information from the foreign bank to the customer in the received form. Account statements normally contain each transaction of the given account day with opening and closing balances.

The arrival time of account information to Nordea depends on the time zone and the transmitting bank's service hours. In most cases, account statements are available by 9 a.m. CET on the next banking day. Account information that has arrived at Nordea can be retrieved from Corporate Netbank's File Transfer service 24 hours, seven days per week. Account statements remain available to the customer in Nordea Bank's data systems for two months after its arrival.

Account Statements are coded in the SWIFT message format MT 940. Since the length of a SWIFT message is restricted to the maximum input message length, several messages may be required to accommodate all the information for one account statement. A file may include several messages, depending on the user's choice in the bank's download interface. No extra information besides the SWIFT messages is provided in the file.

Messages in a file

| Message | Example of Content | | |
|---------------|---|--|--|
| Message no. 1 | Account statement no. 1, part 1 from Bank X | | |
| Message no. 2 | Account statement no. 1, part 2 from Bank X | | |
| Message no. 3 | Account statement no. 2 from Bank X | | |
| Message no. 4 | Account statement no. 1 from Bank Y | | |
| Message no. 2 | Account statement no. 1, part 1 from Bank Z | | |
| Message no. 2 | Account statement no. 1, part 2 from Bank Z | | |

The message format presented in this description fully complies with the international definitions for content and use of an SWIFT MT 940 Customer Statement Message. Attached to the general definitions you will find Technical Specifications containing detailed information about the field content in statements from Nordea Denmark, Finland, Norway and Sweden. In other cases, please contact the account servicing bank to obtain information about the content of a message.

The following terminology is used through out this text to identify the banks involved in the process of delivering account statements to the customer:

Sender The account servicing bank producing/sending the message **Receiver** The Nordea bank presenting the message to the customer.

2 The structure of a message

Each message is divided into three blocks. Each block contains data of a particular type and is used for a particular purpose. Each block begins and ends with a curly bracket, or brace, character '{' and '}' respectively. All blocks are numbered, and the block number followed by a colon ':' is always the first character within any block.

Blocks 1, 2 and 3 relate to header information, and Block 4 contains the text of the message. Each block is subdivided into a number of fields and each field contains particular information, for example, date, time, LT address, Session Number, ISN, or a tag number followed by the appropriate variable content.

All fields within blocks 1 and 2 are of fixed length and are continuous. Block 3 is optional and may be used for user-to-user messages. No field separators are used. The content of Block 4 differs depending on bank in terms of which optional fields are used.



Block structure

| Block Name | Example of Content |
|-----------------------------|---|
| 1. BASIC HEADER BLOCK | {1:F01NDEASESSAXXX0833510237} |
| 2. APPLICATION HEADER BLOCK | {2:09400325050701NDEANOKKBXXX12706189060507010325N} |
| 3: USER HEADER BLOCK | {3:108:34} |
| 4. TEXT BLOCK | {4: <crlf></crlf> |
| | :20:VR06314330391601< <i>CrLf</i> > |
| | :25:60030631433 <crlf></crlf> |
| | :28C:123/1 <crlf></crlf> |
| | :60F:D050629NOK25,65 <crlf></crlf> |
| | :62F:D050630NOK25,65 <crlf></crlf> |
| | :64:D050630NOK25,65 <crlf></crlf> |
| | -} |

Note: <*CrLf*> is only used within Block 4, not between blocks. For the purposes of clarity in this publication, the block structure is shown in the table above with each block beginning a new line.

2.1 Block 1 – Basic Header Block

The Basic Header given in Block 1 provides the fundamental reference for any particular message: {1:F01NDEASESSAXXX0833510237}

Components

| Name | Description | Туре | Content |
|------------------------|--|------|------------------------|
| Block Identifier | The identifier for a Basic Header Block | 2x | Always '1:' |
| Application Identifier | The application within which the message is being sent/received | 1x | Always 'F' |
| Service Identifier | The type of data that is being sent/received | 2n | Always '01' |
| LT Identifier | The FIN address of the receiver of the message: 1-8=SWIFT address, 9=LT Code, 10-12=Branch Code (default 'XXX') | 12x | E.g. 'NDEASESSAXXX' |
| Session Number | Identifies the session in which the message was transmitted | 4x | E.g. '0833' |
| Sequence Number | The OSN of the receiver's current output session | 6x | E.g. '510237' |

2.2 Block 2 – Application Header Block

The Application Header provides information about the message itself. It defines the type of message, who sent it and when, and when it was delivered: {2:09400325050701NDEANOKKBXXX12706189060507010325N}

Components

| Name | Description | Type | Content |
|----------------------------|--|------|---|
| Block Identifier | The identifier for an Application Header Block | 2x | Always '2:' |
| Input/Output Identifier | 'I' for input message, 'O' for output message | 1x | Always 'O' |
| Message Type | Defines the MT number of the output message | 3n | Always '940' |
| Input Time | Expressed in the sender's local time (HHMM) | 4n | E.g. '0325' |
| MIR | Every message is assigned a unique MIR, which consists of the input date, local to the sender, and the sender's full SWIFT address, Session Number and ISN | 28x | E.g. '050701NDEANOKK BXXX1270618906' |
| Output Date | The date (YYMMDD), local to the receiver, on which the message is delivered to the receiver | 6n | E.g. '050701' |
| Output Time | The time (HHMM), local to the receiver, at which the message is actually delivered to the receiver | 4n | E.g. '0325' |
| Message Priority | The priority with which a message is delivered | 1x | Always 'N' |

2.3 Block 3 – User Header Block

The User Header is an optional header available within FIN for user-to-user messages only. It appears in Block 3 of a FIN message, and allows users to provide their own reference within the headers for a particular message.



Components

| Name | Description | Туре | Content |
|---------------------------|---|------|-------------|
| Block Identifier | The identifier for an Application Header Block | 2x | Always '3:' |
| Banking Priority | Tag 113 defines an optional 4-character banking priority. The contents of tag 113 are agreed between two or more users. | | |
| Message User Reference | Tag 108 defines a free-format field in which users may specify their own reference of up to 16 characters of the permitted character set. | | |

2.4 Block 4 - Text Block

The Text Block contains the text of the message. Each field within the text begins with a tag number between colons, followed by the appropriate variable content. <Crlf> is a mandatory field delimiter within the text. Which optional fields are included, depends on the bank.

Block 4 begins with Carriage Return and Line Feed *<CrLf>* and ends with *<CrLf>* followed by a hyphen '-'. Each field within the text begins with a tag number between colons, followed by the appropriate variable content. A field consists of at least one meaningful character. Whenever field content contains mandatory and optional subfields, at least all of the mandatory subfields appear when that field is used.

The general definition of a field format is using the following symbols:

- x any character of the permitted character set
- n numeric digits (0 through 9) only
- a alphabetic letters (A through Z), upper case only
- c alphabetic letters (upper case) and digits only
- d decimals
 - ! fixed length, for ex. 3!a = always 3 letters
- 4*35x up to 4 lines of up to 35 characters each
 - [...] subfield is optional
- ----> start repetitive sequence
- ----| end repetitive sequence

The permitted character set is as follows:

a b c d e f g h i j k l m n o p q r s t u v w x y z A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9 /-?:().,'+{} Cr Lf Space

Although part of the character set, the curly brackets are used as delimiters and will not be used within the text of message. In some cases, the field specifications indicate that a slash '/' is included in the text of the field.

3 Account Statement

Account Statements are coded in the SWIFT message format MT 940.

Example of Block 4 including an Account Statement

| Field Name | Content of Block 4 | | |
|-----------------------------------|---|--|--|
| | {4: <crlf></crlf> | | |
| Transaction Reference Number | :20:395931447812662B <crlf></crlf> | | |
| Related Reference | :21:AXEL PERSSONS LI <crlf></crlf> | | |
| Account Identification | :25:31441812552USD< <i>CrLf</i> > | | |
| Statement Number/ Sequence Number | :28C:76/1 <crlf></crlf> | | |
| Opening Balance | :60F:C050831USD4613989,59 <crlf></crlf> | | |
| Statement Line | :61:0509010901C12726,92NINTINTERN TILLGODOR//090103780980005 <crlf></crlf> | | |
| Statement Line | :61:0509020901C6150000,00NTRFUTLANDSINSATTNIN//090103954532596< <i>CrLf</i> > | | |
| Closing Balance | :62F:C050901USD10776716,51 <crlf></crlf> | | |



| Closing Available Balance | :64:C050901USD50046 26716,51 < <i>CrLf</i> > | | |
|---------------------------|---|--|--|
| | -} | | |

3.1 Format specification for the Account Statement

| | Tag | Field Name | Type/Option | Content |
|---|-----|--|---|---|
| М | 20 | Transaction Reference Number | 16x | Reference assigned by the Sender to unambiguously identify the message |
| 0 | 21 | Related Reference | 16x | |
| М | 25 | Account Identification | 35x | Account for which the statement is sent : |
| М | 28C | Statement Number/ Sequence Number | 5n[/5n] | See chapter 3.2 for details |
| М | 60a | Opening Balance | 1!a6!n3!a15d See Balances | 60F=First opening balance 60M=Intermediate opening balance See chapter 3.2 for details |
| | > | Transaction Details | | |
| 0 | 61 | Statement Line Subfields: | 6!n[4!n]2a[1!a]15d1!a3!c16 x[//16x][34x] | Details of each transaction |
| | | 1. Value Date | 6!n | (YYMMDD) |
| | | 2. Entry Date | [4!n] | Booking date (MMDD) |
| | | 3. Debit/Credit Mark | 2a | 'D'=Debit, 'C'=Credit, 'RC'=Reversal of credit (debit entry), 'RD'=Reversal of debit (credit entry) |
| | | 4. Funds Code | [1!a] | 3rd character of currency code. |
| | | 5. Amount | 15d | The integer part must contain at least one digit. The decimal comma ',' is mandatory and is included in the maximum length |
| | | 6. Transaction Type Identification Code | 1!a3!c | See chapter 3.2 for details |
| | | 7. Reference for the Account Owner | 16x | See chapter 3.2 for details |
| | | 8. Account Servicing Institution's Reference | [//16x] | May be omitted for a transaction initiated by the account servicing institution |
| | | 9. Supplementary Details | [34x] | See chapter 3.2 for details |
| 0 | 86 | Information to Account Owner | 6*65x | See chapter 3.2 for details |
| | | | | |
| М | 62a | Closing Balance (Booked Funds) | 1!a6!n3!a15d See Balances | 62F=Final closing balance 62M=Intermediate closing balance See chapter 3.2 for details |
| 0 | 64 | Closing Available Balance (Available Funds) | 1!a6!n3!a15d See Balances | Funds available to the account owner (if credit balance) or the balance subject to interest charges (if debit balance) See chapter 3.2 for details |
| | > | Forward Balances | | · · · · · · · · · · · · · · · · · · · |
| 0 | 65 | Forward Available Balance | 1!a6!n3!a15d See Balances | Funds available to the account owner for the specified forward value date. See chapter 3.2 for details |
| | | | | |

M=Mandatory, O=Optional

Attached to the general definitions you will find Technical Specifications containing detailed information about the field content in statements from Nordea Denmark, Finland, Norway and Sweden.



3.2 Field definitions

Balances - formatting rules for field 60F, 62a, 64 and 65

Information about balances is formatted: 1!a6!n3!a15d. The included subfields are formatted as follows:

| Type | Subfield Name | Content | |
|------|-------------------|--|--|
| 1!a | Debit/Credit Mark | 'D'=debit balance, 'C'=credit balance | |
| 6!n | Date | YYMMDD | |
| 3!a | Currency | A valid ISO 4217 currency code | |
| 15d | Amount | The integer part must contain at least one digit. The decimal comma ',' is mandatory and is included in the maximum length | |

Field 28C - Statement Number/Sequence Number

Sequential number of the statement, optionally followed by the sequence number of the message within that statement when more than one message is sent for one statement. The statement number should be reset to 1 on 1 January of each year. If used, the sequence number always starts with 1. When several messages are sent to convey information about a single statement, the first message must contain '/1' in Sequence Number. The sequence number must be incremented by one for each additional message. The statement number and sequence number enable the Receiver to put the messages into sequence and thus form the complete statement. Note! When downloading the files, the sequence number will not necessary be sorted in Sequence order.

Example

The first message of a statement is: 28C:235/1 The second message is: 28C:235/2 and so on.

Field 60a - Opening Balance (Booked Funds)

The first or intermediate opening balance. This field must always be the same as field 62a (closing balance) of the previous customer statement message for this account. The first customer statement message for a specified period must contain field 60F (first opening balance); additional statement messages for the same statement period must contain field 60M (intermediate opening balance).

Field 61, Subfield 6 - Transaction Type Identification Code

The field may be completed in one of three ways:

1. For entries related to SWIFT transfer instructions and subsequent charge messages:

Format: S3!n (3!n=a number in the range 100-999)

The last three characters will indicate the message type of the SWIFT message causing the entry (for debit entries) or the type of the message used to advise the account owner (for credit entries).

2. For entries related to payment and transfer instructions, including related charges messages, not sent through SWIFT or where an alpha description is preferred.

Format: N3!c (3!c=one of the SWIFT or Nordea specific codes below)

3. For entries being first advised by the statement (items originated by the account servicing institution):

Format: F3!c (3!c=one of the SWIFT codes below)

Transaction types according to SWIFT user handbook for format N3!c and F3!c

| | • | | |
|------|--|------|---|
| Code | Explanation | Code | Explanation |
| BNK | Securities Related Item - Bank fees | MGT | Securities Related Item - Management fees |
| BOE | Bill of exchange | MSC | Miscellaneous |
| BRF | Brokerage fee | NWI | Securities Related Item - New issues distribution |
| CAR | Securities Related Item - Corporate Actions Related (Should only be used when no specific corporate action event code is available) | ODC | Overdraft charge |
| CAS | Securities Related Item - Cash in Lieu | OPT | Securities Related Item - Options |
| CHG | Charges and other expenses | PCH | Securities Related Item - Purchase (including STIF and Time deposits) |
| CHK | Cheques | POP | Securities Related Item - Pair-off proceeds |
| CLR | Cash letters/Cheques remittance | PRN | Securities Related Item - Principal pay-down/pay-up |
| CMI | Cash management item - No detail | REC | Securities Related Item - Tax reclaim |
| CMN | Cash management item - Notional pooling | RED | Securities Related Item - Redemption/Withdrawal |



| CMP | Compensation claims | RIG | Securities Related Item - Rights |
|-----|---|-----|--|
| CMS | Cash management item - Sweeping | RTI | Returned item |
| CMT | Cash management item -Topping | SAL | Securities Related Item - Sale (including STIF and Time deposits) |
| CMZ | Cash management item - Zero balancing | SEC | Securities (principal amount) |
| COL | Collections (used when entering a principal amount) | SLE | Securities Related Item - Securities lending related |
| COM | Commission | STO | Standing order |
| CPN | Securities Related Item - Coupon payments | STP | Securities Related Item - Stamp duty |
| DCR | Documentary credit (used when entering a principal amount) | SUB | Securities Related Item - Subscription |
| DDT | Direct Debit Item | SWP | Securities Related Item - SWAP payment |
| DIS | Securities Related Item - Gains disbursement | TAX | Securities Related Item - Withholding tax payment |
| DIV | Securities Related Item - Dividends | TCK | Travellers cheques |
| EQA | Equivalent amount | TCM | Securities Related Item - Tripartite collateral management |
| EXT | Securities Related Item - External transfer for own account | TRA | Securities Related Item - Internal transfer for own account |
| FEX | Foreign exchange | TRF | Transfer |
| INT | Interest | TRN | Securities Related Item - Transaction fee |
| LBX | Lock box | UWC | Securities Related Item - Underwriting commission |
| LDP | Loan deposit | VDA | Value date adjustment (used with an entry made to withdraw an incorrectly dated entry - it will be followed by the correct entry with the relevant code) |
| MAR | Securities Related Item - Margin payments/Receipts | WAR | Securities Related Item - Warrant |
| MAT | Securities Related Item - Maturity | | |

Nordea specific transaction types for format N3!c

| Code | Explanation | | |
|------|----------------|--|--|
| CMZ | Zero Balancing | | |
| CMS | Sweeping | | |
| CMT | Topping | | |

[•] See Nordea's Sweeping Services for usage rules

Please refer to the attached Technical Specifications for information about usage in Nordea, Denmark, Finland, Norway and Sweden.

Field 61, Subfield 7 - Reference for the Account Owner

The field may be completed in one of three ways:

- For debit entries, the purpose of this subfield is to identify, to the account owner, the instruction that caused the debit.
- Credit entries may be the result of one of the following situations:
 - 1. The account servicing institution is identifying, to the account owner the receipt of funds for its account as a result of a related transaction.
 - 2. The account servicing institution has issued a payment instruction to the account owner and the credit identified in this subfield is for that payment.

If no reference is available, the code NONREF is used.

Field 61, Subfield 9 - Supplementary Details

If subfield 7='NONREF', the account servicing institution should provide the best available alternative information in this subfield. May also be used when an advice has not been sent for a transaction, or to provide additional information to facilitate reconciliation.

Field 86 - Information to Account Owner

Additional information on the transaction to be passed on to the account owner. Information are separated by S.W.I.F.T. codes:

Format: /Code/Information (Code=one of the codes below)



SWIFT codes

| Code | Explanation | | |
|-----------------------------------|---------------------------------|--|--|
| CHGS | Currency code and "OUR" charges | | |
| OCMT Original currency and amount | | | |
| EXCH | Exchange rate | | |
| ORDP | Ordering party | | |
| BENM | Beneficiary party | | |
| TRMT | Amount to Beneficiary | | |
| RATE | Exchange rate | | |
| REMI | Remittance information | | |

Field 62a - Closing Balance (Booked Funds)

Intermediate or final closing balance. The content of this field will be repeated in field 60a of the subsequent customer statement message for this account. If there is only one customer statement message transmitted for the period, this field must use tag option F, i.e., 62F (final closing balance). When several messages are transmitted for the same statement period, all messages except the last message must contain field 62M (intermediate closing balance); the last message of the statement must contain field 62F.

Field 64 - Closing Available Balance (Available Balance)

Funds which are available to the account owner (if credit balance) or the balance which is subject to interest charges (if debit balance).

Field 65 - Forward Available Balance

Funds that are available to the account owner (if a credit or debit balance) for the specified forward value date. When there is more than one value date for the items booked to the account (in this or previous statement periods), this field will indicate the balance which will be available to the account owner on the date(s) indicated.

Nordea's Sweeping Services

- Field 61, subfield 6 contains one of the codes NCMZ, NCMS, NCMT.
- Field 61, subfield 7 contains the customer individual reference for the cash management transaction.
- Field 61, subfield 9 can contain the name of the payer or the beneficiary.
- Field 86, the first line consists of: (transaction code CMZ, CMS or CMT) (account number including the currency code of beneficiary or payer) (customer individual reference number, if wanted) (name of beneficiary or payer).

Example

:61:0509070908D494031,34NCMZTOP/SWEEPSVERIGE GBPAX DANMARK A/S

:86:CMZ/20496116759120/TOP/SWEEPSVERIGE/GBPAX DANMARK A/S

Below is an example from Sweden.

- 61 0802070207D15207599,32NCMZSWEEPING//020703780980153
- 86 REC/CMZ/00000001440411SEK
- 61 0802070207C311150,02NCMZTOPPING//020703780980153
- 86 REC/CMZ/00000001440411SEK
- 61 0802070207C363041,00NCMZZERO BALANCING//020703780980153 SANNES AB,
- 86 REC/CMZ/00000000433870SEK
- 61 0802070207C2124165,13NCMZOMG SALDOOVERFOR//020703780980161
- 86 REC/CMZ/00000008510000SEK

This document contains extracts from the SWIFT Standards Handbook (March 2005 edition) and they are included into this document with prior permission from S.W.I.F.T. SCRL. To the said extracts shall apply the legal notices



regarding copyright, confidentiality, disclaimer, translations, warnings to all users and trademark and patents as stated in the SWIFT Standards, Category 9, Cash Management & Customer Status (March 2005 edition).



| | NORDEA Technical Specifications of outgoing MT 940 balance and transaction reports Field | | | | | | |
|---|---|--|--|--|--|--|--|
| | no | Field name | Denmark NDEADKKK | Norway NDEANOKK | Finland NDEAFIHH | Sweden NDEASESS | |
| | | 5.6 | | | | | |
| М | 20 | Number | esystem generated reference number | 16 digits | BRYYMMDD9999999 | system generated reference number | |
| 0 | 21 | Related Reference | not used | not used | Name of account owner 16 char. | Name of account owner 16 char. | |
| М | 25 | Account Identification | 10n domestic account number (not IBAN) | 11n domestic account number (not IBAN) | 14n domestic/18n IBAN accoun number | IBAN 24c,+ optional currency code BBAN 10-11n + optional 3!a Bank account - optional Currency code OR 2-8n + optional 3!a PlusGirot account + optional Currency code | |
| М | 28C | Statement number/sequence number | 00001/001 | 1/1 | 1/1 | 1/1 | |
| М | 60A | Opening Balance | | | | | |
|) | 61 | subfield 1 | | | | | |
| | | subfield 2 | | | | | |
| | | subfield 3 | | | | only 'D'=Debit, 'C'=Credit, used | |
| | | subfield 4 | | Not used | Not used | Not used | |
| | | subfield 5 | | | | | |
| | | subfield 6 | pls refer to separate table | pls refer to separate table | pls refer to separate table | pls refer to separate table (Transaktion type) | |
| | | subfield 7 | MT101=Field 21 | MT101 = Field 21, K-Link= K-Link's ref, Paymul=Sender's ref, Manua input=Bank's ref, Swift=Sending Bank's transaction ref. | I | MT101=Field 21 OR Reference | |
| | | subfield 8 | WIT TO THE TOTAL Z.I | Dank o transaction for. | WIT 101-1 1010 Z 1 | THE TOTAL PORT OF THE PROPERTY | |
| | | Subilicia o | Internal references for DKK accounts. In local zero balancing | Name of payer/payee. In local zero balancing transaction | Name of payer/payee, i available, otherwise transaction type. In local zero balancing | f Name of payer for PG-payments I available. In local Zero Balancing | |
| | | subfield 9 | transaction counter account number in BBAN format. | counter account number in BBAN format. | transaction counter accound number in BBAN format. | transaction counter account number in BBAN format | |



| 0 | 86 | Information to account owner | are shown in the first line Used for entries: payments from abroad, domestic credit entries and entries initiated via an RfT. Gives information about: ordering customer, received amount, exc. rate, fees, sending bank, info from sender to receiver, info about ben and account on entries initiated by a RfT. RfT.Info are separated by S.W.I.F.T. codes: /ORDP/, /BENM/, /CHGS/, /REMI/., | OCMT = Original ccy and amount CHGS = ccy code and charges if "BEN" RATE = Nordea No. Exch. Rate TRMT = Amount to beneficiary Credit transactions: OCMT = original ccy and amount CHGS = ccy code and "OUR" charges RATE = Nordea NO.'s exch rate ORRT = sending banks exch rate Details of payment: If received, we report the details of payment (eg. field 70) in the first free line in field 86. | shown in the first line, additional information of the transaction. Details of SEPA credit transfer: Payer's reference Payee's name specifier Payer's name specifier Filing code | Cash pool references, if any, are shown in the first line Details on bankgiro deposits and international payment transactions supplied in one string with or without the codewords below(on customer request) /CHGS/= charges /OCMT = Original amount /EXCH/ =exch. Rate /ORDP/= ordering party /BENM/ Beneficiary party /REMI/ =remittance information |
|---|-----|---|--|---|---|--|
| M | 62a | Closing Balance (booked funds) | | | | |
| 0 | 64 | Closing Available balance (available balance) | (available balance) not | Closing Available balance (available balance) not including possible credit limit | (available balance) including | Closing Available balance (available balance) not including credit limit |
| 0 | 65 | Forward available balance | Used if forward available balance occur. We show up to 3 forward balances | | Not used | Not used |
| 0 | 86 | Information to account owner | t Not used | Not used | Not used | Not used |